

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in this application.

**Listing of Claims:**

Claims 1 through 44 (canceled)

Claim 45 (new) A motorized door comprising:

a flexible curtain closure member having a transverse bottom edge and opposed side edges;

spaced apart guide tracks for guiding said side edges of said closure member for movement between open and closed positions, at least one of said guide tracks comprising a channel shaped member having a web and opposed flanges, said flanges including reentrant distal ends providing a reduced width slot between said flanges for receiving one of said side edges of said closure member; and

opposed windlock members supported on said closure member at said side edges thereof, respectively, for movement within said guide tracks for retaining said side edges of said closure member in said guide tracks, at least said windlock members on said one side edge being configured for engagement with said distal ends of said flanges while said windlock members on the other of said side edges are operable to exit said other guide track in response to a predetermined force acting on said closure member.

Claim 46 (new) The door set forth in Claim 45 wherein:

said windlock members are disposed on opposite ends of respective elongated struts secured to said closure member.

Claim 47 (new) The door set forth in Claim 46 wherein:

said windlock members are formed as separate parts and are removably secured to said struts by mechanical fasteners, respectively.

Claim 48 (new) The door set forth in Claim 45 including:

curtain stiffening means secured to said closure member adjacent said bottom edge for stiffening said closure member against deflection in a direction out of the normal plane of said closure member in the door closed position of said closure member while allowing deflection of said closure member substantially vertically and within said normal plane of said closure member.

Claim 49 (new) The door set forth in Claim 48 wherein:

said stiffening means comprises plural interconnected links extending across said closure member from said side edge toward said other side edge and adjacent said bottom edge, said links being secured to said closure member and to each other, respectively.

Claim 50 (new) The door set forth in Claim 49 wherein:

said links are pivotally connected to each other by fasteners for securing said stiffening means to said curtain and operable to allow pivotal movement of said links with respect to each other in said normal plane of said closure member in response to said bottom edge of said closure member engaging an obstacle.

Claim 51 (new) The door set forth in Claim 45 including:

a plurality of flexible bags containing dense material, respectively, and secured to said curtain adjacent said bottom edge, substantially side by side across said bottom edge.

Claim 52 (new) The door set forth in Claim 51 wherein:

said bags are at least partially filled with particulate material selected from a group consisting of steel shot, welding slag, sand and dense particulate material.

Claim 53 (new) The door set forth in Claim 51 including:

a flexible outer envelope disposed over said bags.

Claim 54 (new) The door set forth in Claim 51 including:

an obstruction detector secured to said curtain at said bottom edge and adjacent said bags.

Claim 55 (new) The door set forth in Claim 45 wherein:

windlock members disposed along said one side edge include bosses having surfaces engageable with said distal ends of said flanges for retaining said windlock members in said one guide track.

Claim 56 (new) The door set forth in Claim 45 wherein:

said windlock members disposed along said other side edge include surfaces which are inclined with respect to a normal plane of said closure member in a door closed position and are engageable with said distal ends of said flanges of said other guide track for deflecting at least one of said flanges of said other guide track to allow said windlock members disposed along said other side edge to escape from said one guide track to relieve stresses acting on said door.

Claim 57 (new) The door set forth in Claim 45 wherein:

said windlock members are formed of a self-lubricating plastic.

Claim 58 (new) The door set forth in Claim 45 wherein:

said windlock members are formed as separate parts attached to elongated struts extending across said door from said one side edge to said other side edge.

Claim 59 (new) A motorized door comprising:

a flexible curtain closure member having a transverse bottom edge and opposed side edges;

spaced apart guide tracks for guiding said side edges of said closure member for movement between open and closed positions; and

curtain stiffening means secured to said closure member adjacent said bottom edge for stiffening said closure member against deflection in a direction out of the normal plane of said closure member in the door closed position of said closure member while allowing deflection of said closure member substantially vertically and within said normal plane of said closure member.

Claim 60 (new) The door set forth in Claim 59 wherein:

said stiffening means comprises plural interconnected links extending across said closure member from one side edge toward the other side edge and adjacent said bottom edge, said links being secured to said closure member and to each other, respectively.

Claim 61 (new) The door set forth in Claim 60 wherein:

said links are pivotally connected to each other by fasteners for securing said stiffening means to said closure member and operable to allow pivotal movement of said links with respect to each other in said normal plane of said closure member in response to said bottom edge of said closure member engaging an obstacle.

Claim 62 (new) The door set forth in Claim 59 including:

a plurality of flexible bags containing dense material, respectively, and secured to said closure member adjacent said bottom edge, substantially side by side across said bottom edge.

Claim 63 (new) The door set forth in Claim 62 wherein:

said bags are at least partially filled with particulate material selected from a group consisting of steel shot, welding slag, sand and dense particulate material.

Claim 64 (new) The door set forth in Claim 62 including:

a flexible outer envelope disposed over said bags.

Claim 65 (new) The door set forth in Claim 62 including:

an obstruction detector secured to said closure member at said bottom edge and adjacent said bags.

Claim 66 (new) The door set forth in Claim 59 including:

opposed windlock members supported on said closure member at said side edges, respectively, for movement within said guide tracks for retaining said side edges of said closure member in said guide tracks, at least said windlock members on one side edge being configured for engagement with one of said guide tracks for retaining said one side edge in said one guide track while said windlock members on the other of said side edges are operable to exit the other guide track in response to a predetermined force acting on said closure member.

Claim 67 (new) The door set forth in Claim 66 wherein:

said windlock members are disposed on opposite ends of respective elongated struts secured to said closure member.

Claim 68 (new) The door set forth in Claim 67 wherein:

said windlock members are formed as separate parts and are removably secured to said struts by mechanical fasteners, respectively.